


# NDURA-1RM-Q170

## 1U Rackmount PC Supporting 6th Gen Intel® Core™ Series CPU

### Features Include:

- 6th Gen Intel® Core™ Series CPU (Q170 Chipset)
- Up to 32GB DDR4 Memory Supported
- Triple Independent Display
- PCIe & mPCIe Expansion
- Windows 10 & Linux Compatible
- Shallow Depth Chassis
- 5 Year Availability



## Specification

CPU Option(s)	6th Generation Intel® Core™ Skylake CPU
TDP	Up to 65 Watts
Chipset	Intel® Q170 Chipset
Memory	2 x DDR4 SO-DIMM Memory Slots Max Memory Supported: <b>32GB</b>
Storage	1 x Full Size mSATA SSD Supported 1 x 3.5" Drive Supported (In Place Of 2.5" Drive) Up to 2 x 2.5" Internal Drives Supported
Power Supply	250W Power Supply Installed (AT/ATX Support)
I/O Ports	1 x VGA 1 x HDMI 1 x DisplayPort 2 x Gigabit Ethernet(RJ-45) 2 x USB 2.0 (Front) 4 x USB 3.0 (Rear) 2 x COM (RS-232/422/485) 2 x Audio (Mic In / Line Out)
Expansion	1 x Full Size Mini PCI Express Slot 1 x PCI Express x16 Slot
Dimensions (W x D x H)	430mm x 230mm x 44.5mm
O/S Support	Windows 7 Windows 8 Windows 10 Windows Embedded Standard 7 Windows Embedded 8 Standard Linux
Operating Temp	0°C to 40°C
Certification	CE

NDURA\_1RM\_Q170\_DATASHEET\_Rev1.pdf

Technical Specifications quoted are verified but do not indicate the maximum performance limitations of the equipment. Specifications are subject to change without notice. E & OE Issue A


## System Overview

The **NDURA-1RM-Q170** is a high performance 1U rackmount computer designed around the Intel® Q170 chipset for 6th Generation Intel® Core™ Skylake processors.

Contained within a 230mm shallow depth chassis, the **NDURA-1RM-Q170** rackmount PC can hold up to 32GB DDR4 memory and supports multiple storage mediums including mSATA, HDD & SSD.

Expansion isn't an issue as the **NDURA-1RM-Q170** supports both a full size Mini PCI Express slot and a PCI Express x16 slot for a range of expansion cards / modules.

## I/O Interface



### ORDERING INFORMATION

NDURA-1RM-Q170

Industrial 1U Rackmount PC With 6th Gen Intel® Core™ Series CPU